


# **COMMERCIAL TIRES**





#### 80 Years of Industry Excellence

Since 1934, Warrior has been manufacturing truck tires and has grown into a worldwide brand. As part of one of the largest tire manufacturers, Warrior is committed to becoming a premier tire brand in the highly competitive North American market. Our tires are engineered to provide the utmost control, enabling drivers to conquer the road and the elements. Warrior tires offer excellent mileage, safety, and speed ratings, adapting to the road conditions drivers experience every day by providing highly responsive stopping power and traction.

Warrior tires are produced by Double Coin Tyre Group, Ltd (Double Coin) and supplied by its North American subsidiary, CMA, LLC, which is based in Monrovia, California. CMA, LLC markets flag, associate, and private brand products from Double Coin and several other strategic manufacturers.

#### **Focused on Continuous Improvement**

With technology developed through partnerships with some of the world's top-tier brands, Warrior tires are manufactured at some of the most advanced facilities globally. Our engineers focus on continuous improvement so that our customers can be assured of driving on tires of exceptional quality and reliability.



### **WD209** CLOSED SHOULDER DRIVE-POSITION TIRE

- Closed shoulder tread design delivers excellent traction and provides even wear
- Deep 30/32" tread with stone drilling protectors provides
  exceptionally long wear
- Tight tread block-to-void ratio leads to tire stability during rotation, promoting long tread wear
- Center siping in the tread block helps to grip the road surface for superior traction and stability



ѕкυ	TIRE SIZE	PLY RATING	SPEED RATING	TREAD DEPTH (32NDS)	TREAD DEPTH (MM)	LOAD INDEX	WEIGHT (LB)	WEIGHT (KG)	
1143471255	11R22.5	14	L	30	24.0	144/142	127	57.7	
1143471256	11R22.5	16	К	30	24.0	148/145	131	59.4	
1143471455	11R24.5	14	L	30	24.0	146/143	138	62.7	
1143471456	11R24.5	16	К	30	24.0	149/146	141	63.9	
1143479255	295/75R22.5	14	L	30	24.0	144/141	130	58.8	
1143478455	285/75R24.5	14	L	30	24.0	144/141	132	59.7	

#### WD266 OPEN SHOULDER DRIVE-POSITION TIRE

- Heavy duty casing provides strength, stability and promotes retreadability
- Unique open shoulder tread design delivers superior traction and even wear
- Deep tread depth provides excellent traction in all weather and road conditions
- Tread depth and design provide outstanding wear in regional and long-haul applications



SKU	TIRE SIZE	PLY RATING	SPEED RATING	TREAD DEPTH (32NDS)	TREAD DEPTH (MM)	LOAD INDEX	WEIGHT (LB)	WEIGHT (KG)
1143621255	11R22.5	14	L	28	28.0	144/142	131	59.5
1143621256	11R22.5	16	L	28	28.0	148/145	135	61.6
1143621455	11R24.5	14	L	28	28.0	146/143	142	64.6
1143621456	11R24.5	16	L	28	28.0	149/146	-	-
1143629255	295/75R22.5	14	L	28	28.0	144/141	135	61.4
1143628455	285/75R24.5	14	L	28	28.0	144/141	132	59.9

# WD410 OPEN SHOULDER DRIVE-POSITION TIRE

- 19/32" of tread depth
- Promotes long original mileage
- Zig zag tread design provides protection from hazards and debris
- Tie bar on the outside shoulder helps to maintain tire stability and combat irregular wear
- Siping in the tread blocks enables the tire to efficiently channel water



SKU	TIRE SIZE	PLY RATING	SPEED RATING	TREAD DEPTH (32NDS)	TREAD DEPTH (MM)	LOAD INDEX	WEIGHT (LB)	WEIGHT (KG)
1143422796	225/70R19.5	14	Ν	19	15.5	128/126	68	31.0

### **WS212** REGIONAL ALL-POSITION TIRE

- Lower rolling resistance and better fuel economy
- Micro sipes on the groove edges prevent irregular tire wear
- 5-rib tread design with wide shoulders improves durability and delivers even wear in regional steer/ all-position applications
- Wide groove design channels water for improved handling and lateral stability



SKU	TIRE SIZE	PLY RATING	SPEED RATING	TREAD DEPTH (32NDS)	TREAD DEPTH (MM)	LOAD INDEX	WEIGHT (LB)	WEIGHT (KG)
1143701255	11R22.5	14	L	19	15.1	144/142	116	52.8
1143701256	11R22.5	16	L	19	15.1	148/145	120	54.5
1143701455	11R24.5	14	L	19	15.1	146/143	130	58.9
1143701456	11R24.5	16	L	19	15.1	149/146	133	60.2
1143709255	295/75R22.5	14	Μ	19	15.1	144/141	119	54.2
1143708455	285/75R24.5	14	L	19	15.1	144/141	-	-
1143702796	225/70R19.5	14	М	16	12.7	128/126	70	31.8
1143704797	245/70R19.5	16	К	16	12.7	141/140	-	-
1143706797	265/70R19.5	16	К	16	12.7	143/141	-	-

### **WS202** SPECIALTY ALL-POSITION TIRE

- Special tread compounds deliver exceptional mileage in a variety of specialty trailer applications
- 5-rib design promotes superior handling, stability and traction
- Solid shoulders and siping design fight irregular wear, promoting better tire performance



SKU	TIRE SIZE	PLY RATING	SPEED RATING	TREAD DEPTH (32NDS)	TREAD DEPTH (MM)	LOAD INDEX	WEIGHT (LB)	WEIGHT (KG)
1143401776	215/75R17.5	16	J	16	13.0	135/133	62	28.0
1143406797	235/75R17.5	18	L	16	13.0	143/141	72	32.5
1143404778	245/70R17.5	18	J	17	14.0	143/141	74	33.7
1143405726	255/70R22.5	16	Ν	16	13.0	140/137	89	40.5
1143407726	275/70R22.5	16	М	16	13.0	148/145	-	-
1143401706	10R17.5	16	L	16	13.0	143/141	80	36.3
1143400894	8R19.5	12	М	16	13.0	124/122	68	31.0

## WS235 ON/OFF HIGHWAY ALL-POSITION TIRE

- Cross-surface grooves and cross-spreads shoulder for excellent driving performance.
- The optimized pattern block ratio design provides for eccentric wear resistance.
- The tread block angle design enhances the stability and driving performance.
- Reasonable shoulder block proportion design prevents onset of irregular wear.
- A unique stone discharge structure design of ditch bottom reduces stone, enhances impact resistance and avoids puncture.



SKU	TIRE SIZE	PLY RATING	SPEED RATING	TREAD DEPTH (32NDS)	TREAD DEPTH (MM)	LOAD INDEX	WEIGHT (LB)	WEIGHT (KG)
-	11R22.5	16	65mph	24	19.1	148/145	135	57.4
-	11R24.5	16	65mph	24	19.1	149/146	142	60.65
-	315/80R22.5	20	65mph	24	19.1	157/154	131	67.55
-	315/80R22.5	22	65mph	24	19.1	160/157	135	67.55

## **WS205** LINE-HAUL STEER-POSITION TIRE

- 19/32" tread depth promotes long original tread life and superior handling
- Specially designed tread siping enhances traction and stability
- Shoulder decoupling grooves and center equalizer ribs lead to even treadwear
- Durable casing design promotes long service life and multiple retreads



sкu	TIRE SIZE	PLY RATING	SPEED RATING	TREAD DEPTH (32NDS)	TREAD DEPTH (MM)	LOAD INDEX	WEIGHT (LB)	WEIGHT (KG)
1143271255	11R22.5	14	М	19	15.0	144/142	114	51.9
1143271455	11R24.5	14	М	20	16.0	146/143	126	57.2
1143279255	295/75R22.5	14	М	20	16.0	144/141	119	54.2
1143278455	285/75R24.5	14	М	20	16.0	144/141	122	55.2

#### WT100 SHALLOW DEPTH TRAILER-POSITION TIRE

- 12/32" original tread depth
- Siping and wide shoulders promote even wear in free rolling/ trailer axle positions
- Center rib engineered to eject stones, preserving casing integrity and promoting multiple retreads



SKU	TIRE SIZE	PLY RATING	SPEED RATING	TREAD DEPTH (32NDS)	TREAD DEPTH (MM)	LOAD INDEX	WEIGHT (LB)	WEIGHT (KG)
1143581255	11R22.5	14	М	12	10.0	144/142	-	-
1143581455	11R24.5	14	L	12	10.0	146/143	123	55.9
1143589255	295/75R22.5	14	М	12	10.0	144/141	113	51.2
1143588455	285/75R24.5	14	М	12	10.0	144/141	117	53.2

### **WS209** PREMIUM WIDE BASE ALL-POSITION TIRE

- Aggressive all-position tread pattern designed for multiple on/off highway uses
- Center siping in the tread elements bite the road surface for improved traction and stability
- Outside shoulder grooves provide added traction in mud and soft soil
- Specifically designed with compounds that perform exceptionally well in local delivery applications



SKU	TIRE SIZE	PLY RATING	SPEED RATING	TREAD DEPTH (32NDS)	TREAD DEPTH (MM)	LOAD INDEX	WEIGHT (LB)	WEIGHT (KG)
1143608258	385/65R22.5	20	К	20	16.0	160/158	165	74.9

#### WS208 PREMIUM WIDE BASE ALL-POSITION TIRE

- Aggressive all-position tread pattern designed for multiple on/off highway uses
- Center siping in the tread elements bite the road surface for improved traction and stability
- Outside shoulder grooves provide added traction in mud and soft soil
- Specifically designed with compounds that perform exceptionally well in local delivery applications



SKU	TIRE SIZE	PLY Rating	SPEED RATING	TREAD DEPTH (32NDS)	TREAD DEPTH (MM)	LOAD INDEX	WEIGHT (LB)	WEIGHT (KG)
1143602258	425/65R22.5	20	К	20	16.0	165	199	90.4



CMA LLC / 406 E. HUNTINGTON DRIVE, SUITE 200 MONROVIA, CALIFORNIA USA 91016 TEL: +1 (888) 226-5250 | INFO@CMAINTL.COM | WWW.WARRIORTIRE-US.COM